

RV SCREEN DOOR PROTECTOR by DUO-PETS #DUODOOR-KIT

The DUO Pet Screen Protector is designed to fit an area as large as 24"x 27" or can be easily trimmed smaller with standard scissors.

Tools Required for Installation:

Included:

Double sided VHB Tape


Not Included:

- Tape Measure
- Utility Knife (for cutting VHB tape)
- Scissors



Step 1: Measure the size of the frame around the inside of the screen door (this is where the protector will attach). Make sure all 4 sides will attach to the screen door frame, not the screen itself.

Step 2: Using the measurement acquired in Step 1, mark and trim the screen door protector. Standard scissors will work for cutting the protector.



Note: The paw print design is centered on the protector so be sure to trim evenly on all four sides to maintain design integrity.

Step 3: Apply the double sided VHB tape to all 4 sides of the printed side of the screen protector.



Step 4: Remove the backing from the double-sided tape, starting with the top. Along the sides of the screen protector only peel the tape backing from the top 2 inches. Carefully align the top corners squarely to the cross member of the door. Firmly press the tape to assure adhesion. Gently holding the screen protector away from the bottom of the door, remove the backing from the side and bottom edges, slowly allow the screen protector to adhere to the door before pressing firmly around the edges.





Step 5: Remove outer protective cover.



Final Product





For questions or installation problems, please contact DUO FORM Customer Service at 269-663-8525.

Copies of all instruction sheets can be found at www.duoformplastics.com. Failure to follow instructions may result in voided warranty. DUO FORM Plastics reserves the right to make changes and discontinue products without notice.

RV Screen Door Protector by: DUO-PETS Installation Instructions: Initial Release 10.22.2021 #DUODOOR-KIT